



Characteristics

Media: 100% Synthetic Polypropylene Microfiber

Pockets: Ultrasonically Welded Seams & Edges

Pocket Flutes: Ultrasonically Welded Support Spacers

Header: Electro-Galvanized Metal Header and "J" Style Media Retainers

Air Flow Bag 65% - 12 Pocket						
Model Number	Width "A"	Height "B"	Depth "C"	Number of Pockets	Air Flow Capacity (cfm)	Initial Resistance ("w.g.)
AFB1265S-4415	23-3/8"	23-3/8"	15"	12	1500	.16
AFB1065S-0415	19-3/8"	23-3/8"	15"	10	1250	.16
AFB1065S-0015	19-3/8"	19-3/8"	15"	10	1000	.16
AFB665S-2415	11-3/8"	23-3/8"	15"	6	750	.16

Notes:

Standard: UL 900, Class 2

Available with the following gasketing options:

- GU - Gasket Upstream
- GD - Gasket Downstream
- GS - Gasket Sides

Other Options:

- C - Cambridge Header
- 1 - UL 900, Class 1

An example of the part number with options is: AFB1265S-4415GU



100 Oak Tree Drive  
Selma, NC 27576

Phone: 919-975-0240  
Fax: 919-975-0250

Air Flow Bag 65%, MERV 11,  
12 Pocket

Date	11/02/02	Part Number	AFB1265S	Revision	A
Approved					