



Characteristics

Frame: 100% polypropylene plastic board.  
 Media: 100% polypropylene fibers, water and bacteria resistant.  
 Media is spaced and supported with beads of polypropylene polymer.  
 Media bonded to frame using polypropylene adhesive.

Air Flow MiniPleat - 2" Nominal Depth, 98%, MERV 15			
Model Number	Width "A"	Height "B"	Depth "C"
AFMP98-24242	23-3/8"	23-3/8"	1-7/8"
AFMP98-20252	19-1/2"	24-1/2"	1-7/8"
AFMP98-20242	19-1/2"	23-3/8"	1-7/8"
AFMP98-20202	19-1/2"	19-1/2"	1-7/8"
AFMP98-16252	15-1/2"	24-1/2"	1-7/8"
AFMP98-16202	15-1/2"	19-1/2"	1-7/8"
AFMP98-12242	11-3/8"	23-3/8"	1-7/8"

Notes:

UL 900, Class 2  
 98% per ASHRAE 52.1  
 MERV 15 per ASHRAE 52.2  
 Initial Resistance:  
 @ 500 FPM: 0.91" w.g.  
 @ 300 FPM: 0.50" w.g.



100 Oak Tree Drive  
 Selma, NC 27576

Phone: 919-975-0240  
 Fax: 919-975-0250

Air Flow MiniPleat, 2" Nominal Depth  
 98% MERV 15

Date	11/03/02	Part Number	AFMP98-2	Revision	A
Approved					